

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in UCR [Upper Cumberland Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	100	a	*	*	a	*	*	a
Black, not Hispanic	0	0	a	0	0	a	0	0	a
Hispanic	0	0	a	*	*	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	*	100	a	*	100	a	12	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by sex and age at diagnosis, 2005

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	*	*	*	*
13-14	0	0	0	0	0	0
15-24	*	*	0	0	*	*
25-34	*	*	*	*	*	*
35-44	*	*	*	*	*	*
45-54	*	*	0	0	*	*
55-64	0	0	0	0	0	0
>=65	0	0	0	0	0	0
Total	*	100	*	100	12	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by sex and exposure category, 2005

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	5	63	a	a	5	42
Injection drug use (IDU)	*	*	0	0	*	*
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	*	*	*	*	*	*
Mother with/at risk for HIV	0	0	*	*	*	*
Other/unknown	0	0	*	*	*	*
Total	*	100	*	100	12	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by race/ethnicity and exposure category, 2005

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	5	45	0	0	0	0	0	0	0	0	0	0	5	42
Injection drug use (IDU)	*	*	0	0	0	0	0	0	0	0	0	0	*	*
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	*	*	0	0	0	0	0	0	0	0	0	0	*	*
Mother with/at risk for HIV	*	*	0	0	0	0	0	0	0	0	0	0	*	*
Other/unknown	0	0	0	0	*	100	0	0	0	0	0	0	*	*
Total	*	100	0	0	*	100	0	0	0	0	0	0	12	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by sex and tuberculosis comorbidity, 2005

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	*	100	*	100	12	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	*	100	*	100	12	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	100	a	0	0	a	*	*	a
Black, not Hispanic	0	0	a	*	100	a	*	*	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	*	100	a	*	100	a	*	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	13	13	*	242
Females	*	*	5	0	*	56
Total	20	14	18	13	12	298

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	14	9	15	10	*	250
Black, not Hispanic	*	*	*	*	0	21
Hispanic	*	*	*	*	*	25
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	1
Total	20	14	18	13	12	298

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	10	10	*	206
White, not Hispanic: Female	*	*	5	0	*	44
Black, not Hispanic: Male	*	*	*	*	0	16
Black, not Hispanic: Female	*	0	0	0	0	5
Hispanic: Male	*	*	*	*	0	20
Hispanic: Female	0	*	0	0	*	5
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	1
Total	20	14	18	13	12	298

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	*	4
13-14	0	0	0	0	0	1
15-24	*	*	5	0	*	34
25-34	*	*	0	*	*	100
35-44	10	7	11	9	*	114
45-54	5	*	*	*	*	35
55-64	0	*	*	0	0	9
>=65	0	0	0	0	0	1
Total	20	14	18	13	12	298

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	9	6	8	9	5	150
Injection drug use (IDU)	*	0	*	0	*	40
Male-to-male sex and IDU	*	*	*	*	0	19
Heterosexual contact	*	7	6	*	*	62
Mother with/at risk for HIV	0	0	0	0	*	3
Other/unknown	*	*	*	*	*	24
Total	20	14	18	13	12	298

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	5	*	80
Females	*	*	*	0	*	18
Total	9	5	6	5	5	98

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	6	5	*	80
Black, not Hispanic	*	*	0	0	0	10
Hispanic	0	*	0	0	*	8
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	9	5	6	5	5	98

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2001	2002	2003	2004	2005	Cumulative cases through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	*	5	*	67
White, not Hispanic: Female	0	*	*	0	0	13
Black, not Hispanic: Male	*	*	0	0	0	8
Black, not Hispanic: Female	*	0	0	0	0	2
Hispanic: Male	0	*	0	0	0	5
Hispanic: Female	0	0	0	0	*	3
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	9	5	6	5	5	98

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	0	*	0	*	13
25-34	*	*	0	*	0	34
35-44	5	*	*	*	*	38
45-54	*	0	0	*	*	10
55-64	0	0	0	0	0	0
>=65	0	0	0	0	0	1
Total	9	5	6	5	5	98

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	*	*	*	47
Injection drug use (IDU)	*	0	0	0	*	15
Male-to-male sex and IDU	*	0	0	*	0	5
Heterosexual contact	*	*	*	0	*	20
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	0	0	*	*	9
Total	9	5	6	5	5	98

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	5	162
Females	*	*	*	*	5	38
Total	9	13	11	16	10	200

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	7	10	*	10	8	170
Black, not Hispanic	*	*	0	0	*	11
Hispanic	*	*	*	6	*	17
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	*	0	0	0	1
Total	9	13	11	16	10	200

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	*	*	*	139
White, not Hispanic: Female	*	*	*	*	*	31
Black, not Hispanic: Male	*	*	0	0	0	8
Black, not Hispanic: Female	0	0	0	0	*	3
Hispanic: Male	*	*	*	*	0	15
Hispanic: Female	0	0	0	*	*	2
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	*	0	0	0	1
Total	9	13	11	16	10	200

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	*	1
13-14	0	0	0	0	0	2
15-24	0	*	*	*	*	10
25-34	*	5	0	*	*	65
35-44	*	*	6	11	*	80
45-54	*	*	*	0	*	33
55-64	0	*	*	0	0	8
>=65	0	0	0	0	0	1
Total	9	13	11	16	10	200

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile

AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and exposure category

Exposure category	2001	2002	2003	2004	2005	Cumulative cases through 2005
	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	5	5	9	5	103
Injection drug use (IDU)	*	*	0	*	*	25
Male-to-male sex and IDU	0	*	*	0	0	14
Heterosexual contact	*	5	*	*	*	42
Mother with/at risk for HIV	0	0	0	0	*	1
Other/unknown	0	*	*	*	0	15
Total	9	13	11	16	10	200

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in UCR [Upper Cumberland Region], by year and sex

	2001	2002	2003	2004	2005
Sex	No.	No.	No.	No.	No.
Males	130	135	146	153	158
Females	30	33	38	36	39
Total	160	168	184	189	197

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in UCR [Upper Cumberland Region], by year and race/ethnicity

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	129	132	145	149	157
Black, not Hispanic	17	18	18	17	16
Hispanic	12	16	19	21	22
Asian/Pacific Islander	*	*	*	*	*
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	*	*	*	*	*
Total	160	168	184	189	197

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in UCR [Upper Cumberland Region], by year and race/ethnicity:sex

	2001	2002	2003	2004	2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	107	109	117	123	128
White, not Hispanic: Female	22	23	28	26	29
Black, not Hispanic: Male	*	*	*	*	*
Black, not Hispanic: Female	*	*	*	*	*
Hispanic: Male	*	*	*	*	*
Hispanic: Female	*	*	*	*	*
Asian/Pacific Islander: Male	0	0	0	0	0
Asian/Pacific Islander: Female	*	*	*	*	*
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0
Unknown/Multiple Race: Female	*	*	*	*	*
Total	160	168	184	189	197

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in UCR [Upper Cumberland Region], by year and current age

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	0	0	0	0	0
15-24	0	0	*	*	*
25-34	17	18	20	23	25
35-44	75	82	90	94	96
45-54	48	47	50	48	49
55-64	17	18	19	19	19
>=65	*	*	*	*	*
Total	160	168	184	189	197

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in UCR [Upper Cumberland Region], by year and exposure category

	2001	2002	2003	2004	2005
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	79	84	91	97	100
Injection drug use (IDU)	24	22	23	20	21
Male-to-male sex and IDU	11	12	13	14	13
Heterosexual contact	35	39	44	43	46
Mother with/at risk for HIV	*	*	*	*	*
Other/unknown	*	*	*	*	*
Total	160	168	184	189	197

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by year of death and sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	*	84
Females	*	*	0	*	*	17
Total	*	6	*	8	*	101

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by year of death and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	6	*	6	*	93
Black, not Hispanic	0	0	0	*	*	5
Hispanic	0	0	0	*	0	3
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	*	6	*	8	*	101

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	*	*	*	78
White, not Hispanic: Female	*	*	0	*	0	15
Black, not Hispanic: Male	0	0	0	*	0	3
Black, not Hispanic: Female	0	0	0	0	*	2
Hispanic: Male	0	0	0	*	0	3
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	*	6	*	8	*	101

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by year of death and age at death

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	3
25-34	*	*	*	0	0	23
35-44	*	*	*	*	*	46
45-54	0	*	0	*	*	21
55-64	0	0	0	0	0	6
>=65	0	0	0	0	0	2
Total	*	6	*	8	*	101

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by year of death and exposure category

Exposure category	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	*	*	*	50
Injection drug use (IDU)	0	*	0	*	*	19
Male-to-male sex and IDU	0	0	0	0	*	6
Heterosexual contact	*	*	*	*	0	16
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	0	0	0	0	0	10
Total	*	6	*	8	*	101

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.